



Url: /Tadalafil/ Tadacip 20/

Tag: Tadalafil

Category: Phosphodiesterase type 5 Inhibitor

Product Description:

About the brand Tadacip 20

Tadacip is brand of Cipla pharmaceuticals and manufactured by same in India.

About the drug Tadalafil

Tadacip 20 is a drug of choice for erectile dysfunction same as Verdanafil and Sildenafil citrate. Tadacip consists of tadalafil which is active ingredient for conditions like erectile dysfunction and pulmonary arterial hypertension. Tadalafil acts by increasing the blood flow in sexual organs of the body especially penis. Tadacip 20 helps to maximize the experience during sexual intercourse. It is especially for use among men and must be avoided by women and children.

US Brands equal to Tadacip 20

Cialis and Adcirca are US brands available in USA having same salt as Tadacip has.

Uses of Tadalafil, the salt in Tadacip 20

- 1. Erectile Dysfunction:** Erectile dysfunction is a condition characterized by the inability to erect the penis for the purpose of sexual intercourse. It is also called as Male impotency. Many reasons result into the condition of erectile dysfunction such as diabetes, psychological disorders, use of anti-depressant medications, etc. When enough blood flow to the penis is restricted, it results into the development of erectile dysfunction and results into impotence in men.
- 2. Pulmonary Arterial Hypertension:** Pulmonary arterial hypertension is a condition which describes the shortness of breath due to the narrowing of arteries in the lungs. This results into an increase in the functioning of the heart to pump at higher efforts. This results into shortness of breath and a decrease in the ability to do exercise. There are many causes for pulmonary hypertension which range from congestive heart problems, to birth defects. Pulmonary hypertension thus means the narrowing or blockage of arteries which supply blood to the heart.

How Tadacip 20 works ?

Tadalafil acts by blocking the degradation of Cyclic guanosine monophosphate (cGMP) by PDE 5. Cyclic guanosine monophosphate works by increasing the blood flow and vasodilation in the penis region of the body. Phosphodiesterase type 5 works by binding with cGMP and reducing its availability in the body parts. By blocking the activity of PDE-5 and increasing the availability of cGMP in the blood, sildenafil citrate helps to cure erectile dysfunction.

Manufacturer of Tadacip 20

Tadaga is manufactured by Ciplin India

Strengths and Dosage of Tadacip 20

The drug is available in a strength of 20 mg

Dosage

Take the dose as directed by your doctor, do not take over dose without consulting it with your doctor

How to take Tadacip 20?

The drug shall be taken one hour before the food or after two hours of taking food. The drug shall be taken half hour before sexual intercourse. However, the effects of drug gets initiated in 15 minutes of taking the drug. The effects remain for 4 to 5 hours after the actual intake of the drug.

Side effects / Adverse Effects of Tadacip 20

The medicine generally doesn't have marked side effects. However, it ranges from patient to patient and person to person. Generally the side effects include,

- Indigestion
- Headache
- Diarrhea
- Stuffy nose

How long should Tadacip 20 be continued ?

Tadacip 20 oral tablets shall be taken only after consultation with registered medical practitioner. Your doctor will give you the details on how to take the drug, when to take the drug, & for how long? Generally your doctor will advise you to take it on need basis, which is before sexual intercourse. Generally it shall be taken 30 to 60 minutes before intercourse.

Overdose side effects of the Tadalafilor Tadacip 20

Overdosing the Tadacip 20 could lead to priapism which is mainly unease erection which lasts long.

Dose of Tadacip 20 missed?

Generally the dose is taken before sexual intercourse. However, if you have missed the dose. Do not take it more than once in a day. Shift to next dosing schedule which is mainly before next intercourse act.

Drug Interactions for Tadalafil

Common drug interactions include,

Nitrates., drugs used for liver diseases

When NOT to take Tadacip 20

Do not take tadaga, if,

- You have allergy to any ingredients in Tadaga 20
- You have pulmonary veno-occlusive disease
- You are taking nitrates
- You are taking another PDE-5 Inhibitors such as sildenafil or verdenafil

General information about Tadacip 20

Do not take Tadacip 20 without consultation with doctor

Get complete information on how to use drug if the condition remains for long term

If symptoms persist even after taking the medicine, consult doctor immediately